


REV	MODIFICATIONS	DRAWN BY	CHECKED BY	DATE
A	CREATION	GI	GI	7/13/2011



Colour	Standard is Black. Optional White.
HF Marine Band	2-30 MHz
Length	8.8 metres (29 ft)
Pattern	Omnidirectional
Polarisation	Vertical
Base Diameter	32mm (1.25 in)
Frequency Range	Retuned to frequency or frequencies required, or unloaded 2-30 MHz with suitable ATU
Wind Loading	10.4 kg at 100 km/h (22.9 lbs at 60 mph) 17.6 kg at 130 km/h (38.7 lbs at 81 mph)
Power Capability	1 kW PEP for normal loaded or unloaded top sections; 500W PEP for trapped top sections; higher power to order
Mounting	Two 100mm (4 in) nylon clamp type insulators, 50mm (2 in) diameter, threaded to take ½ inch Whitworth bolt (not supplied); insulator spacing not less than 1.4 m (4.5 ft)
Connection	Silicone insulated flexible cable tail 2.5 m long (8 ft) 56/0.3 tinned copper; length should not exceed that provided for correct operation on the higher frequencies
Packed Weight	8 kg (17.6 lbs) with mountings

UNLESS OTHERWISE SPECIFIED DIMENSIONS : mm ANGLES : d.		<b>NEARSON INC.</b>			
CUSTOMER N°	FILE N°	TITLE : Marine HF Antenna for large vessels			
		SIZE A4	<b>NMO-01-0024</b>		
		SCALE : N.D.		<table border="1"> <tr> <td>REV A</td> <td>Doc.</td> </tr> <tr> <td>Prod.</td> <td></td> </tr> </table>	REV A
REV A	Doc.				
Prod.					
		SHEET 1 of 1			